




=== Appendix to the DVR company ===




PROCEDURE OPERATIVE PER LA GESTIONE DEL RISCHIO CORONAVIRUS

per offices and activities at low biological risk, without case of positive person to COVID-19

 Below is a summary of the **general hygiene and health measures to be observed**:

- wash hands frequently
- avoid hugs and handshakes
- maintain interpersonal distance of at least one meter (if possible, better 2 meters)
- practice respiratory hygiene, covering mouth and nose when sneezing or coughing (sneeze or cough into a tissue or the屈肘 (elbow) avoiding contact of hands with respiratory secretions)
- avoid promiscuous use of bottles and glasses
- do not touch eyes, nose and mouth with hands
- clean surfaces with disinfectants based on alcohol or chlorine or sodium hypochlorite (bleach)

In the work environment, in addition to the measures already indicated and with greater rigor, it is good to adhere scrupulously to the following procedure for the containment of the diffusion of the coronavirus:

- **Prohibited** to go to work for those who present **symptoms** such as fever, cough, cold, and obviously for those in obligation of home isolation because positive results for the virus or contact with positive subjects or because they have returned from risk zones.
- Register the body temperature of workers via infrared portable thermometer on the appropriate register; if not in possession of the equipment, ask the worker to measure their own body temperature before going to work, then register it on the appropriate register; abstain from work if the temperature is > 37°C and call your doctor.
- **Wash hands frequently**, minimum at entry and exit and on any occasion, with water and soap or hydroalcoholic solutions as indicated in the operational representation annexed.
- **Social distancing of at least one meter mandatory and preferably** use of face masks (surgical or other type), especially during conversations and the use of shared objects (e.g. phone) with colleagues. 
- **Cleaning** of hygiene services in self-management at the end of each working day, if there are more than one service (in case of a single hygiene service, proceed with sanitization at least twice a day, preferably at the end of a single shift of 4 hours e.g. morning and afternoon) 
- Sanitization in self-management of each workstation, with non-aggressive agents, at the end of the working day as well as after each shift 
- **Cleaning** of the equipment used in common with other workers (phones, tablets, calculators etc., if you think of cordless...), even if only with detergent for glass or similar in order not to exaggerate with solutions based on alcohol/chlorine/bleach during the stay in place.
- Differentiate the **breaks** in order not to create multiple presences of workers, access to dedicated areas one by one or with **social distancing of at least 1 meter**.

* For cleaning, **do not** use exclusively products based on alcohol or chlorine or bleach, but also other chemical agents of cleaning, especially domestic: in the field of hygiene it is important to vary the products used, in addition it is good to remember not to exaggerate with the above substances to avoid respiratory irritants and risks related to the flammability of the same; at the end of the day or shift it is nevertheless useful to clean with **alcohol or chlorine or bleach** for reasons of concrete **sanitization**. Remember also about door handles, faucets, etc. Preferring the "丢弃" card or dedicated strips for single stations for as long as it is cleaned. Avoid the transfer of chemical agents (absolute ban on the use of containers not correctly labeled).

It is recommended to watch the video offered by AiFOS: "[Coronavirus: informiamoci in 3 minuti](#)"

Si ricorda a tutti l'importanza di seguire queste semplici regole per contrastare insieme questo nemico comune e uscirne il prima possibile

Misure di riduzione della diffusione del Coronavirus



E' fatto divieto l'accesso all'azienda da parte di coloro che non sono stati preventivamente autorizzati dalla stessa, secondo le procedure applicabili. E' fatto divieto l'accesso a persone con sintomi quali febbre (maggiore di 37°C)*, tosse, raffreddore o soggetti a provvedimenti di quarantena o risultati positivi al virus.

Qualora una persona dovesse rientrare in uno di questi casi:



Sintomi quali febbre (37,5°C)*, tosse, difficoltà respiratorie.



Aver avuto contatti faccia a faccia in locale chiuso con persone risultate infette o a grave sospetto di infezione.

E' vietato l'accesso in azienda ma è necessario rimanere all'interno del proprio domicilio, contattando il proprio medico. Dovrà immediatamente chiamare il:

Numero di pubblica utilità **1500**

Fornendo tutte le indicazioni richieste e seguendo le indicazioni che riceverà.

Al fine di ridurre la diffusione, Vi invitiamo, comunque:



Lavare frequentemente le mani. Lavare le mani con acqua e sapone per almeno 60 secondi. Pulire le superfici con soluzioni detergenti.



Evitare di toccare con le mani la bocca e gli occhi, prima di averle lavate. Evitare strette di mano, baci e abbracci. Non toccarsi occhi e bocca con le mani



Usare fazzoletti monouso per soffiarsi il naso e gettarli, una volta utilizzati, nei cestini. Evitare l'uso promiscuo di bottiglie o bicchieri. Coprirsi la bocca se si starnutisce o tossisce.




Evitare contatti ravvicinati con persone che presentino sintomi influenzali quali tosse e raffreddore. Se possibile, mantenere una distanza di 1 metro dalle persone. Ogni qual colta sia possibile, scegliere riunioni a distanza.

Come lavarsi le mani?

Lavare le mani quando sono sporche, oppure utilizzare le salviettine monouso

Durata della procedura: 40-60 secondi



Bagnare le mani con acqua



Applicare sapone a sufficienza sino a ricoprire tutta la superficie delle mani



Strofinare le mani da un palmo all'altro



Palmo destro sul dorso sinistro incrociando le dita e viceversa



Palmo a palmo con le dita intrecciate



Di nuovo le dita, opponendo i palmi con dita racchiuse, una mano con l'altra



Strofinare attraverso rotazione del pollice sinistro sul palmo destro e viceversa



Strofinare attraverso rotazione, all'indietro e in avanti con le dita della mano destra sul palmo sinistro e viceversa



Risciacquare le mani con acqua



Asciugare le mani con una salviettina monouso



Usare la salviettina per chiudere il rubinetto



Le mani sono ora pulite

* si precisa che le Autorità sanitarie indicano una temperatura $\geq 37,5^{\circ}\text{C}$ come indice di possibile contagio da coronavirus; nella procedura aziendale viene prescritto il divieto assoluto di permanere in loco con qualsiasi grado di febbre, anche minimo ($> 37^{\circ}\text{C}$).

Fonte: World Health Organization



ALCUNE SEMPLICI
RACCOMANDAZIONI
PER CONTENERE
IL CONTAGIO DA
CORONAVIRUS

LAVATI SPESO LE MANI CON
ACQUA E SAPONE O USA UN
GEL A BASE ALCOLICA



NON TOCCARTI
OCCHI, NASO E
BOCCA CON LE MANI



EVITA LE STRETTE DI
MANO E GLI ABBRACCI
FINO A QUANDO QUESTA
EMERGENZA SARÀ FINITA



EVITA CONTATTI RAVVICINATI
MANTENENDO LA DISTANZA
DI ALMENO UN METRO



EVITA LUOGHI
AFFOLLATI



COPRI BOCCA E NASO CON
FAZZOLETTI MONOUSO
QUANDO STARNUTISCI O
TOSSISCI. ALTRIMENTI USA
LA PIEGA DEL GOMITO



SE HAI SINTOMI SIMILI ALL'INFLUENZA RESTA A CASA,
NON RECARTI AL PRONTO SOCCORSO O PRESSO GLI
STUDI MEDICI, MA CONTATTA IL MEDICO DI MEDICINA
GENERALE, I PEDIATRI DI LIBERA SCELTA,
LA GUARDIA MEDICA O I NUMERI REGIONALI



SALUTE.GOV.IT/NUOVOCORONAVIRUS



Ministero della Salute